

# IRAZO

CLAY MEETS CLASS



## FINISHES



Metallic finish



Rustic finish



Full polished finish



High glossy finish



Glossy finish



Matt finish



Full body (s&p)

## FEATURES



High Durable



Acid Resistance



Stain Resistance



Easy to Clean



Maintenance Free



Dimensional Stability



Slip Resistance



Eco Friendly





GEOMETRIES OF THE SPACES WHERE TO LIVE,  
FULFILL YOUR AMBITIONS WITH US.

**1200  
X  
2400  
MM**



MIGHTY SIZE

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




ARCTIC WHITE 2 RANDOM

ARCTIC WHITE (BOOK MATCH) BOOK MATCH A+B



CLRYS WHITE 3 RANDOM

IMPERIAL WHITE (CONTINUE) 3 FACE CONTINUE



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness





Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




ALTIMO WHITE 2 RANDOM

ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B



DIAMOND WHITE 2 RANDOM

DIAMOND WHITE (CONTINUE) 4 FACE CONTINUE



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range




ATLANTIC WHITE

2 RANDOM



ATLANTIC WHITE (CONTINUE)

2 FACE CONTINUE




PEARL WHITE (CUNTINUE)

3 FACE CONTINUE



CRISTAL WHITE

3 RANDOM






WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range





GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE

GLORIOUS WHITE (BOOK MATCH) BOOK MATCH A+B

STATUARIO FANTASTICO 4 RANDOM


STATUARIO NATURAL 3 RANDOM



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



STATUARIO RIO 3 RANDOM

STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE





TABLE TOP : STATUARIO BELGIA | FLOOR : SENTILIA GRIS



1200x  
2400mm


HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




STATUARIO DOES 3 RANDOM




ANTIQUE SATVARIO 4 RANDOM



GALAXY STUTUARIO (BOOK MATCH) BOOK MATCH A+B



\*



IMPACT SATVARIO (CONTINUE) 3 FACE CONTINUE






\*Dark High Glossy Series

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



ALEX CALACATTA 3 RANDOM

STATUARIO CALACATTA 3 RANDOM

CALACATTA LUCINA (CONTIUNE) 2 FACE CONTINUE

ONYX SKY 3 RANDOM





WALL : CALACATTA LUCINA (CONTIUNE) | FLOOR : CALACATTA LUCINA (CONTIUNE)

1200x  
2400mm

HIGH GLOSSY FINISH

DECOR SERIES


9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




M 1001 1 RANDOM




M 1002 1 RANDOM



M 1003 1 RANDOM



M 1004 1 RANDOM



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM



ONYX LUXURY 3 RANDOM



CRISTALLO ONYX 2 RANDOM



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



WILLIAM BIANCO

2 RANDOM



MONTANA GREY

2 RANDOM




TURKE LANA

1 RANDOM



CRISTAN STONE

2 RANDOM



\*Dark High Glossy Series

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*





SONATA WHITE 3 RANDOM

SONATA BRONZE 3 RANDOM



\*Dark High Glossy Series

\*



TITANIUM BROWN 3 RANDOM

TITANIUM NATURAL 3 RANDOM



\*Dark High Glossy Series

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*




ARMANI BEIGE 2 RANDOM

ARMANI GOLD 2 RANDOM





\*Dark High Glossy Series

\*



ARMANI GREY 2 RANDOM

ARMANI GRISS 2 RANDOM



\*Dark High Glossy Series





WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE

1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



VENUS CREMA 3 RANDOM

DYNA SUPREME 2 RANDOM



FLOOR : DYNA SUPREME


1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*



BROCKEN BRECIA (BOOK MATCH) BOOK MATCH A+B

BRECCIA CLASSIC 2 RANDOM



BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM





FLOOR : BRECCIA BEIGE

1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range


\*




\*



\*



\*




BRECCIA CAPRAIA 4 RANDOM

BRECCIA CAPRAIA (BOOK MATCH) BOOK MATCH A+B

FOREST BROWN 2 RANDOM

EMPERADOR REGAL 3 RANDOM



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*




COVELANO LASA 2 RANDOM



\*



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B




\*



ARENA DUNE 2 RANDOM



\*



ARENA DUNE (BOOK MATCH) BOOK MATCH A+B



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




MARIYAN BROWN (BOOK MATCH) BOOK MATCH A+B

WONDER BEACH 2 RANDOM

TRAVENTINO CREMA 2 RANDOM

TRAVENTINO BEIGE 1 RANDOM




1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range


\*




\*



\*



\*






NERO MARQUINA 3 RANDOM

SAHARA BLACK 2 RANDOM

FUSION BLACK (BOOK MATCH) BOOK MATCH A+B

AZUL CIELO 3 RANDOM






1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness

\*




TOBACCO

1 RANDOM



\*



MAGMA BLACK

2 RANDOM



\*Dark High Glossy Series



FLOOR : TOBACCO


1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range


\*



\*



\*



PORTORO SILVER 2 RANDOM

PORTORO GOLD 2 RANDOM

PORTORO 2 RANDOM





WALL : PORTORO SILVER & ANTIQUE SATVARIO | FLOOR : PORTORO SILVER

1200x  
2400mm

MATT FINISH

9mm thickness



ELEGANT CREMA 1 RANDOM

SANDUNE CAFE 1 RANDOM



FLOOR : SANDUNE CAFE

1200x  
2400mm

MATT FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




WILLIAM BIANCO 2 RANDOM

DUST 4 RANDOM

TUNA ROCK ICE 2 RANDOM

TUNA ROCK GREY 2 RANDOM






1200x  
2400mm

MATT FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




SENTILIA CREMA 1 RANDOM

SENTILIA BROWN 1 RANDOM

SENTILIA ICE 1 RANDOM

SENTILIA GRIS 1 RANDOM





WALL : SENTILIA ICE & SENILIA GRIS | FLOOR : SENTILIA GRIS

1200x  
2400mm

CARVING FINISH

→ 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



TRAVENTINO CREMA 1 RANDOM



CORTEN BEIGE 2 RANDOM



VERANDA BREEZE 1 RANDOM



RUDE METAL 1 RANDOM





1200x  
2400mm

CARVING FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BURBERRY BEIGE

2 RANDOM



BURBERRY BROWN

2 RANDOM




BURBERRY GREY

2 RANDOM





1200x  
2400mm

CARVING FINISH → 9mm thickness



AMMONITE BIANCO 2 RANDOM

AMMONITE NERO 2 RANDOM




WALL : AMMONITE BIANCO & AMMONITE NERO | FLOOR : AMMONITE NERO

1200x  
2400mm

CARVING FINISH

→ 9mm thickness



STUCCO BEIGE

2 RANDOM



FLOOR : STUCCO BEIGE


1200x  
2400mm

BABY SATIN FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



BRECCIA MARINO LATTE 2 RANDOM

BRECCIA MARINO NATURAL 2 RANDOM

BRECCIA MARINO ASH 2 RANDOM



1200x  
2400mm

BABY SATIN FINISH

9mm thickness



PERSIAN BEIGE 2 RANDOM

FLORENTINE CREMA 2 RANDOM



WALL : PERSIAN BEIGE | FLOOR : SANDUNE CAFE

## TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DESCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Deviation in Length	Is-13630-1	±0.10%	±0.05%
Deviation in Width	Is-13630-1	±0.10%	±0.05%
Deviation in Thickness	Is-13630-1	±5.0%	±3.00%
Straightness of Sides	Is-13630-1	±0.10%	±0.10%
Rectangularity	Is-13630-1	±0.10%	±0.10%
Surface Flatness	Is-13630-1	±0.50%	±0.2%
Surface Quality	Is-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Water Absorption	Is-13630-2	≥0.08% Avg.	0.04% Avg.(±0.02%)
Modulus of Rapture(N/mm2)	Is-13630-6	Avg. 35N/mm2	Avg. 42N/mm2
Breaking Strength(N)	Is-13630-6	<7.5mm-700n ≥7.5mm-1300n	<6mm-1200n ≥6mm-1350n
Moisture Expansion(mm/m)	Is-13630-3	0.02 Max	0.01 Max
Scratch Hardness of Surface	Is-13630-13	8 Min	4-4.5
Resistance of Surface Abrasion(Glazed Tiles)	Is-13630-11	Class II Min.	Class II Min.
Co-Efficient of Linear Thermal Expansion	Is-13630-4	6x10-6 Max	6.5x10-6 Max.
Thermal Shock Resistance	Is-13630-5	10 Cycles Min.	10 Cycles, Pass
Crazing Resistance	Is-13630-9	4 Cycles at 7.5 Bar Min.	5 Cycles at 7.5kg Pressure
Impact Resistance-Coefficient of Restitution	Is-13630-14	0.55 Min.	0.55 Min
Frost Resistance	Is-13630-10	According to Manufacturing Process	No Damage
Bulk Density (g/cc)	Is-13630-2	2.2 Min.	2.3
Penalty (Curvature)	-	±1.0%	±0.6%
CHEMICAL PROPERTIES			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Resistance of Staining	Is-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	Is-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	Is-13630-8	According to Manufacturing Process	Resistance
Slip Resistance	150-13006/EN1444 Group BIA	As pr Mfg.	>0.40

## PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box(approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.

**IRAZO**  
CLAY MEETS CLASS

Irazo Ceramic Lip 05, Akshar Business Center Opp. Rafaleshwar GIDC Morbi 363642, India.

+91 7016646346

info@irazoceramic.com

www.irazoceramic.com